

PECO Smart Ideas for Your Business





Agenda

PA Act 129 Phase III Overview

PECO Smart Ideas for Your Business

- Commercial & Industrial Solutions
- Multifamily Solutions
- Small Business Solutions





PA Act 129, Phase III





Act 129 Phase III

- Help customers adopt energy efficient solutions
- Embed energy efficiency into mindset of industry
- Reduce excess energy consumption
- Decrease customers' overhead costs
- Divided into three phases
 - Phase I: June 1, 2009 May 31, 2013
 - Phase II June 1, 2013 May 31, 2016
 - Phase III: June 1, 2016 May 31, 2021





Act 129 Goals

Phase II

- 3 Year Program cycle
- 1,125,550 MWh reduction requirement
- 10% target reductions from GNI sector
- No Demand Reduction target

Phase III

- 5 Year Program cycle
- 1,962,659 MWh reduction requirement
- 3.5% target reductions from GNI sector
- 161 MW Demand Reduction target





Benefits of Energy Efficiency

- Reduce facility's operating costs
- Eliminate energy waste
 - Almost 30% of energy consumed by buildings is used inefficiently or unnecessarily
- Create a comfortable and safe environment for employees, customers, and guests
- Demonstrate environmental stewardship by reducing energy use and greenhouse gas emissions





PECO Smart Ideas for Your Business







PECO Smart Ideas Overview

- A suite of nine residential and seven business programs offering solutions for energy efficiency
- Customer-centric portfolio of energy solutions
 - Solutions cross every sector from commercial and industrial from nonprofits and government to retail and real estate
 - Includes whole building systems and new construction
 - Incentives designed to influence customer decisions
 - Offset the incremental capital cost of selecting more energy efficient solutions
- Motivate customers to chose higher efficiency products, equipment and processes





PECO Smart Ideas Accomplishments

Since June 2009, more than:

- \$500 million saved by customers through PECO Smart Ideas
- 2.2 billion kilowatt hours of electricity saved through energy efficiency actions
- 8,000 incentives earned by non-residential (business) customers
- 58,000 rebates provided to customers for recycling older, working appliances

Environmental benefits savings equal to:

- Reducing vehicle emissions produced by more than 267,000 passenger vehicles
- Planting more than 2.3 million trees
- Eliminating 2.4 billion miles driven

PECO named ENERGY STAR® Partner of the Year four times







New in Phase III

Phase II:

Smart Equipment Incentives (C&I)

Smart Equipment Incentives (GNI)

Smart Construction Incentives

Smart Business Solutions

Smart Multifamily Solutions

Phase III:

Commercial & Industrial Solutions (includes new construction and GNI)

Multifamily Solutions

Small Business Solutions





PECO Smart Ideas for Your Business Solutions

PECO Smart Ideas offers incentives whether you're looking to reduce operating costs, construct a new facility or planning a major renovation.

- Commercial and Industrial Solutions
 - Data centers, small and large commercial and industrial businesses, municipalities, schools, assisted living facilities, and more!
- Multifamily Solutions
 - Condo and apartment buildings with two or more units
 - Master metered and residential metered properties
- Small Business Solutions
 - Restaurants, bars, convenience and grocery stores, drug and liquor stores, etc.







Commercial and Industrial Solutions









Commercial and Industrial Solutions Overview

- Incentives for energy efficient heating and cooling systems, refrigeration equipment, lighting, variable frequency drives, and custom measures
- All non-residential customers are eligible for all incentives
- Project must provide a reduction in annual kWh usage









Prescriptive Measures

Fixed incentive per unit

- HVAC equipment/sensors and controls
- Unitary chillers
- ENERGY STAR refrigeration and cooking equipment
- Food service
- Motors and VFD drives
- Heat pump water heaters
- Compressed air storage tanks
- Data center CRAC & CRAH units
- Lighting and controls
 - Interior/exterior and traffic signals
 - Per lamp/fixture or sign
- New construction interior lighting
- Whole building systems









Custom Measures

Non-prescriptive measures that require demonstration of energy savings, such as:

- Non-unitary chillers
- Free cooling
- PC power management, smart plugs, plug load management
- Building envelope white/green roof, windows, air sealing, weather-stripping
- Process cooling mushroom farming, manufacturing
- Process upgrades HEPA filtration, aeration, new equipment
- Compressed Air supply measures
- ENERGY STAR office equipment

Incentives paid per annual kWh saved in the first year of operation

- Eligibility determined on a case-by-case basis
- Provide the methods used to determine estimate
- Pre and post metering may be required
- Submit a savings estimate and program staff will evaluate to determine final kWh savings









Lighting Measures

Lighting Controls

- Interior Occupancy Sensor and Stairwell Bi-level Lighting Controls Fixture Mounted
- Interior Controls Combination Daylighting and Occupancy Fixture Mounted

Advanced Lighting

Custom projects

Garage and Exterior

- LED Parking Garage and Canopy Retrofit Kits
- Outdoor Recessed Downlight
- Outdoor Floodlights
- LED Pole Arm Mounted Parking and Roadway Fixtures Or Kits
- Incentives are per lamp or per fixture
- All are subject to minimum watts reduced









Data Center Measures

- Air Cooled and Water Cooled Chillers
- Computer Room Air Conditioner (CRAC units) and Air Handlers
- Uninterruptable Power Supply (UPS)
- Mainframe Refresh
- Server Refresh
- PC Power Management System
- HVAC System Optimization
- Hot/Cold Aisle Containment
- Server Virtualization
- Thin Clients







New Construction Measures

Interior Lighting: Lighting Power Density

- Compares total installed interior lighting wattage to code baseline
- Installed wattage must be at least 10% below ASHRAE 90.1 2007 Space-by-Space or Building Area method
- ComCheck Required

Exterior Lighting

- LED Outdoor Flood
- Light LED Parking Garage, Canopy and Retrofit Kit
- LED Pole/Arm Mounted Parking and Roadway Fixture and Retrofit Kits
- LED Wall Mount

Whole Building

Incentives based on percent improvement over code





Commercial & Industrial Solutions Online Application – *Coming Soon*

| Home | Manage Existing Applications | Apply Now |
|--|--|--|
| ECO Smart Id | eas for Your Business O | nline Applications |
| he PECO Smart Ideas for Your Bu | isinees program is offered from June 1, 2016 – May 31, | 2021 or until funds are exhausted. To participate, follow these four easy steps: |
| Verify your eligibility by reac Choose a form below to sub Purchase and install equips Submit final paperwork onc | mit a pre-approval application and reserve funds; vent; and | |
| Click any of the below links to dow | niced program documentation and tools needed before | a kon wbbyk. |
| Application Manual PECO Lighting Worksheet Instructions for Completing Customer Terms and Condi Customer Final Agreement | | |
| f you are ready to submit a pre-ap | proval application, please click on either the Prescriptiv | e or Custom links below |
| Submit a Prescriptive Proje | ct Application | |
| Submit a Custom Project A | pplication | |
| | | |





Online Application Tracking Projects - Coming Soon

| Home Man | age Existing Applications | Apply Now | |
|---|------------------------------------|-------------------------------|-----------|
| Quick Actions | | Analytics | |
| Action | | Item | Total |
| My Applications | > | e Of Applications | 5 |
| My Contacts | > | Total Rebates Paid | |
| L. My Account | > | | |
| 🖬 Log Out | > | | |
| You Have 1 New Task(s | 0 | Applications By Status | |
| The following 1 application(s) have application(s) can be approved. | tasks you must complete before the | Statue | # of Apps |
| approaccess; can be approved. | | Application Received - Review | 1 |
| Project Information | | DELETE | 0 |





Online Application -Small Business Lighting *Coming Soon*

| Hydrey Type 1 Hydrey Type 1 Hydrey Type 1 T12. Lincer: Flaorescont I I I I I <tr< th=""><th>25</th><th>n about your existing lighting equipment as well as a description of the lighting equipment you would like to install.</th></tr<> | 25 | n about your existing lighting equipment as well as a description of the lighting equipment you would like to install. |
|---|------------------------------|--|
| T12 Linear: Flaorescent T12 Linear: Flaorescent Image: Transmission of your flaorescent, if applicable? To restrict the set of weth of your flaorescent, if applicable? Image: Transmission of your flaorescent, if applicable? To restrict these are in each fisture for flaorescent, if applicable? Image: Transmission of your flaorescent, if applicable? To restrict flaters, whith are the rested wethy per fisture? Image: Transmission of the period of your flaters, the period of your flaters, the restrict wethy flaters, whith are the cellings the lighting is mataled on? Image: Transmission of the period of your flaters, the period of your flaters, which are the cellings the lighting is mataled on? | ighting Type 1 | |
| Inter as the length of your Rusewatert bales, if applicable? Implementation What is the length of your Rusewatert, if applicable? Implementation It is the network of each tube of your Rusewatert, if applicable? Implementation It is the network of each tube of your Rusewatert, if applicable? Implementation It is the network of each tube of your Rusewatert, if applicable? Implementation It is the network of each tube of pour Rusewatert, if applicable? Implementation It is the network of each tube of source of tube? Implementation It is the network of each tube of rule is the network of each of tube? Implementation It is the network of each of tube of rule is the network of each of tube? Implementation It is the network of each of tube of rule is the network of the network of tube of rule is the network of tube o | What type of lighting is co | nerty installed? |
| # A set as the rated watts of each tabe of your fluorencest, if applicable? 40 A set many tabes are in each future for fluorencest, if applicable? 3 A set at the futures, which are the order watts per future? 5 To reacy futures are installed? 5 To reacy futures are installed? 5 Parameters are installed? 15 Parameters believe of layer efficiency lighting you are installed on? 15 Parameters are installed? To reacy installed are fluorences yighting you are installed on? 15 Parameters are installed? To reacy installed are fluorences yighting you are installed on? To reacy installed are the order of table are fluorences yighting you are installed on? To reacy installed are fluorences yighting you are installed on? To reacy installed are fluorences yighting you are installed on? To reacy installed are fluorences yighting you are installed on? To reacy installed are fluorences yighting you are installed on? To reacy installed are fluorences yighting you are installed on? To reacy installed are fluorences yighting you are installed on? To reacy installed are fluorences yighting you are installed on? To reacy installed are fluorences yighting you are installed on? To reacy installed are fluorences yighting you are installed on? To reacy installed are fluorences yighting you are installed on? To reacy installed are fluorences yighting you are installed on? To reacy installed are installed are installed are installed on? To reacy installed are | T12 Linear Fluore | cant 💌 |
| Inter a the rated watts of each tabe at your Thuorescent, If applicable? 40 40 The many tabes are in each firstare for floorescent, If applicable? 5 For each shot for the oted watts per firstare? 5 For each shot is at the cellings the lighting is installed on? 5 Per action to that type of table effortunes is installed on? 5 Per action to table it for the cellings the lighting is installed on? 5 Per action to table it for the cellings the lighting is installed on? 5 Per action to table it for the oted watts per installing to replace your assisting lighting. Peakes include any relevant information such as type, model number, wetlage, used they or factore stalled? Example: "Biochropes will be return with 25 40% model 1Y2 (ED) invition fighters, each with informal accupancy central." | Abut is the length of your | furrenzent tuben, if applicable? |
| 40 3 3 5 <t< td=""><td>£ •</td><td></td></t<> | £ • | |
| tee many takes are in each finture for floorescent, if applicable? | Shat is the rated watts of | each tube of your fluorescent, if applicable? |
| | 40 | |
| are all after lastures, what are the coded wattle per listure? be many futures are initialized? 25 25 25 25 25 25 25 25 25 2 | low many fubes are in es | In finaure für fluorescient, if applicable? |
| | 3 | |
| 25 25 25 25 25 25 25 25 25 25 | for all other flatures, what | are the rated watta per failure? |
| 25 25 25 25 25 25 25 25 25 25 | | |
| Contenior lighting, approximately how high are the cellings the lighting is installed on? 15 Peake describe what type of high efficiency lighting you are installing to replace your seleting lighting. Pleake include any relevant information such as type, model number, wattage, partity and lamp or Toture eathage. Isample: "Biscincom will be retrofit with 25 40W model XY2 LED lowbay fortures, each with infernal occupancy central." | iow many fetures are ins | siles? |
| 15 Peake describe what type of Yigh efficiency lighting you are installing to replace your saleting lighting. Please include any relevant information such as type, model number, wattage, particly and lamp or Toture wattage. | 25 | |
| Posse describe what type of Tuph efficiency lighting you are installing to replace your solating lighting. Please include any relevant information such as type, model number, waltage, partity and lamp or fature waltage. | for interior highling, sopro | emetally how high are the collings the lighting is natalied on? |
| uerthy and lamp or Tature wattage. Isample: "Bincknoom will be retruit ruth 25 40W model XY2 LED lowbay fastures, each with internal occupancy control." | 15 | |
| partify and lamp or Tature waitlage. Sample: "Bitsciosom will be retruit ruth 25 40W model XY2 LED lowbay factures, each with internal occupancy control." | Rease describe what type | of tuch efficiency lighting you are installing to replace your saisting lighting. Please include are relevant information such as type, model number, wattage, |
| | | 다는 것은 이상에서 도구가 방법하여 있다는 이용이 있는 것이 있는 것이 없는 것이 없다. 이가 바람이 많은 것이 가지 않는 것이다. 것이 가지 않는 것이 있는 것이 가지 않는 것이 있는 것이 가지 않는 것이 있는 것이다. 이가 가지 않는 것이 있는 것이 있는 것이 있는 것이 있는 것이 있는 것이다. 것이 있는 것이 없다. 이가 있는 것이 있는 것이 있는 것이 있는 것이 있는 것이 있는 것이 없는 것이 없다. 것이 있는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 있는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 있는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없 하는 것이 없는 것이 있 |
| 25.3 lamp TTZ fixtures are being replaced with 25.33W LED <u>troffier</u> fixtures in the main are of my grocery store. | Sample 'Backson will | ie retruits with 25 40W model XY2 LED lowbay factures, each with internal occupancy control." |
| | 25 3 lamp T12 fiet | res are being replaced with 25 33W LED troffier futures in the main are of my grocery etors. |
| | | |





Customers Are Saying...

With the money that Jefferson received from PECO Smart Ideas, we were able to reinvest in more energy saving equipment around our campus...It's been good to receive this money to upgrade our infrastructure and help Jefferson save energy and money.

- Randy Haines, Thomas Jefferson University

Learning about the program and gaining approval put us in a win win situation. Now that we upgraded lighting in our warehouse and offices, the warehouse is a safer environment and our picking accuracy has improved. ..Thanks so much for this wonderful and effective program!

- Gary Novick, Novick Brothers





Start Saving Today

Call the PECO Smart Ideas team at 1-844-4BIZ-SAVE (1-844-424-9728) or, email pecosmartideas@dnvgl.com.

We'll help you:







Multifamily Solutions











Multifamily Solutions Background

- Multifamily Solutions was introduced during Phase II
- Phase II was a 3 year program cycle
- Phase III is a 5 year program cycle





Apartments

- 446 Properties
- 42,621 units
- 17,439,816 kWh savings
- 300,821 bulbs installed
- 30,976 water measures installed

Condos

- 7 Properties
- 1,155 units
- 361,631 kWh savings
- 7,903 bulbs installed
- 176 water measures installed





Multifamily Solutions Overview

Energy savings for multifamily property owners and tenants

- Buildings with two or more units
- Includes master-metered and residentially metered properties

Participation channels

- Residential unit occupants receive benefits through participation by building management – CFLs, high-efficiency shower heads*, faucet aerators*
 - Free direct install (DI) of low-cost measures
- Property managers receive a free energy assessment for common areas including a report of potential energy saving upgrades for their facility
 - Prescriptive incentives for installation of high-efficiency equipment that address common areas or whole building improvements

* Electric water heating only





Direct Install

- Free installation of CFL's and LED's replacing incandescent bulbs
- If domestic water heat is electric
 - High-efficiency showerheads
 - Kitchen and bathroom aerators











Energy Assessment

- Free assessment of common area and whole building systems
- Goal to identify prescriptive and DI projects
- Capture inventory of additional energy savings opportunities
- Focus on common area lighting and electrically powered mechanical systems
- Inspect sample tenant spaces to estimate DI requirements
- Provide assessment report detailing estimated energy savings potential and estimated prescriptive incentives from PECO





Prescriptive Incentives

Measures for Common Areas include:

- Interior Lighting*
- Fluorescent Fixtures
- LED Fixtures
- CFL Lamps
- LED Lamps
- Exterior and Garage Lighting*
- T5 or HPT8 Fixtures (electronic ballasts)
- LED Fixtures
- Exterior and Garage Induction Fixtures
- Occupancy Sensors

- Domestic Hot Water Heating
- HVAC
- Air Sourced Air Conditioner
- Air Cooled Chiller
- PTAC
- Economizers
- Motors
 - ECM Circulation Fans and Pumps







Success Story

Korman Residential Properties

- 7 Properties
- 2,206 units
- 13,458 CFLs
- 938 high-efficiency faucet aerators
- 281 high-efficiency shower heads

Property Manager Benefits

- Tenant retention and engagement
- Reduced operating expenses
- Investment in maintenance and amenities







Customers Are Saying...

Participating in PECO Smart Ideas is in line with Kendal values of sustaining our environment, preserving our natural resources, and establishing a new balance to ecosystems. Residents have already moved into our new cottages and the neighborhood shows signs of new life - life that is sustained through our green initiatives.

- Tom Kopach, Kendal-Crosslands Communities





Start Saving Today

Call the PECO Smart Ideas team at 1-844-4BIZ-SAVE (1-844-424-9728) or email pecosmartideas@franklinenergy.com.

We'll help you:







Small Business Solutions











Small Business Solutions Overview

Direct installation of energy saving measures

- Small business customers with peak demand less than 100 kW
- Target: Restaurants, bars, gas and convenience stores, grocery, drug, and liquor stores
- Includes eligible lighting, refrigeration and electric hot water measures

Solution providers offering:

- Interest free financing
- Discounts for payment in full

Program promoted directly to small business owners





Success Stories

Big Head's Pub

Lighting and refrigeration system upgrades

- Annual Energy Savings: 189,884 kWh
- Annual Energy Cost Savings: \$22,843
- PECO Incentive: \$32,876



Maple Deli

Lighting upgrades and lighting controls installation

- Annual Energy Savings: 15,682 kWh
- Annual Energy Cost Savings: \$1,884
- PECO Incentive: \$2,808







Start Saving Today

Call the PECO Smart Ideas team at 1-844-4BIZ-SAVE (1-844-424-9728) or email pecosmartideas@smartwattinc.com.

We'll help you:

Schedule your free comprehensive on-site energy analysis Get your free energy analysis report and project proposal

Receive incentives on qualified projects and direct install

Enjoy all the benefits of energy efficiency





An Exelon Company

Thank You!

